

基準点成果表

(AREA 9)

2級基準点 2-03

	° ' "	m
B	36 1 9.4090	X 2 170.974
L	139 34 15.1032	Y -23 657.281
N	0 9 15.66	H 12.873
		ジオイド高 39.704
		柱石長

視準点の名称		平均方向角		距　　離		備　考
				縮尺係数 0.999907		
①　NO． 6 ②　2－0 4 ①　NO． 2		° ' '' 100 43 7.0 151 53 56.0 357 44 4.2		真　　数 m		
				701.341		
				664.146		
				833.341		

GPS測量による
「この測量成果は、国土地理院長の助言をうけて得たものである
(承認番号) 平17 関公 第573号」

基準点成果表

(AREA 9)

2級基準点 2-04

	° ' "	m
B	36 0 50.4285	X 1 585.173
L	139 34 27.6590	Y -23 344.478
N	0 9 8.20	H 16.143
		ジオイド高 39.665
		柱石長

視準点の名称		平均方向角		距　　離		備　考
				縮尺係数 0.999907		
②　２－０５ ①　NO.　１２ ②　２－０３		°　'　" 97 25　6.8 189 33 52.0 331 53 55.9		真　　数 m		
				441.562		
				448.072		
				664.146		
埋標型式	地 主	地　中	屋 主	標識番号	標 石 金属標	キ４

GPS測量による
「この測量成果は、国土地理院長の助言をうけて得たものである
(承認番号) 平17 関公 第573号」

基準点成果表

(AREA 9)

2級基準点 2-05

	° ' "	m
B	36 0 48.6162	X 1 528.166
L	139 34 45.1508	Y -22 906.653
N	0 8 57.91	H 19.850
		ジオイド高 39.647
		柱石長 0.60

視準点の名称	平均方向角	距離	備考
		縮尺係数 0.999906	
① NO. 8	° ' " 86 42 42.5	真数 m 518.152	
② 2-06	158 49 14.5	466.246	
② 2-04	277 25 6.8	441.562	
① NO. 6	353 8 45.7	516.117	
埋標型式	地 主	地 中	屋 主
		標識番号	標 石 金属標
			2-05

GPS測量による
「この測量成果は、国土地理院長の助言をうけて得たものである
(承認番号) 平17 関公 第573号」

基準点成果表

(AREA 9)

2級基準点 2-06

	° ' "	m
B	36 0 34.5251	X 1 093.453
L	139 34 51.9226	Y -22 738.220
N	0 8 53.88	H 19.880
		ジオイド高 39.620
		柱石長 0.60

視準点の名称		平均方向角		距　　離		備　考
				縮尺係数 0.999906		
①　NO.　H 4 ①　NO.　1 2 ②　2－0 5		°　'　" 95 59 45.9 274 11 38.9 338 49 14.5		真　　数 m		
				795.366		
				682.593		
				466.246		
埋標型式	地 主	地　中	屋 主	標識番号	標 石 金属標	2－0 6

GPS測量による
「この測量成果は、国土地理院長の助言をうけて得たものである
(承認番号) 平17 関公 第573号」